



MODEL SHOWN:
188-T (L & R)
188-TT (L6 & R6)
188-GG (L & R)

FLASHBACK ARRESTORS REGULATOR TYPE

FLASHBACK ARRESTORS

FEATURES

- ▶ Prevent reverse flow of gases with built-in check valve;
- ▶ Extinguish flashback fire with sintered metal filter;
- ▶ Thermal cut-off which positively shuts off the gas in case of hose fire, burn or repeated flashbacks (only T version);
- ▶ Pressure operated cut-off which positively shuts off the gas when pressure exceeds (only 3T version).




PART NO.	TYPE	FUEL GAS	MAX FLOW (l/h)	MAX PRESSURE (bar)*				INLET THREAD	OUTLET THREAD
				OX	AC	LPG	H ₂		
188-L	Regulator	Fuel gas	30,000	-	1,5	5	3,5	9/16"-18-UNF-2B-LH	9/16"-18-UNF-2A-LH
188-R	Regulator	Ox	100,000	25	-	-	-	9/16"-18-UNF-2B-RH	9/16"-18-UNF-2A-RH
188-TL	Regulator	Fuel gas	30,000	-	1,5	5	3,5	9/16"-18-UNF-2B-LH	9/16"-18-UNF-2A-LH
188-TR	Regulator	Ox	100,000	25	-	-	-	9/16"-18-UNF-2B-RH	9/16"-18-UNF-2A-RH
188-TTL6	Hose to hose	Fuel gas	20,000	-	1,5	4	4,0	∅ hose 1/4" (6 mm)	∅ hose 1/4" (6 mm)
188-TTR6	Hose to hose	Ox	65,000	20	-	-	-	∅ hose 1/4" (6 mm)	∅ hose 1/4" (6 mm)
188-GGL	Torch	Fuel gas	20,000	-	1,5	4	4,0	9/16"-18-UNF-2A-LH	9/16"-18-UNF-2B-LH
188-GGR	Torch	Ox	65,000	15	-	-	-	9/16"-18-UNF-2A-RH	9/16"-18-UNF-2B-RH

*1 bar=100 kPa

ROLLER GUIDES & CIRCLE CUTTING ATTACHMENTS

ROLLER GUIDES & CIRCLE CUTTING ATTACHMENTS

MODEL SHOWN:
R-69-3B



PART NO.	ANGLE	CONNECTION FOR TIPS	CUTTING ATTACHMENTS / CUTTING TORCHES	NOTES
I-69-4	90°	6290	142, 62-5, 42-3, 42-4, 49-3, 572, 72-3, 73-3, 242, 273	Single wheel guide
I-69-5		3690	36-2	
I-69-6		6290	142, 62-5, 42-3, 42-4, 49-3, 572, 72-3, 73-3, 242, 273	
I-69-6-HV	45°-135°	1-101-HV	V-Series	
I-69-7		3690	36-2	
R-69-3B	90°	6290	142, 62-5, 42-3, 42-4, 49-3, 572, 72-3, 73-3, 242, 273	
R-69-4C		8290	NM-250, 880-NM, 59-3, 242-NM, 273-NM	
R-69-880		6290	880, 573	
R-69-A		2890	28, H28	

C-9

MODEL

CALIBRATED TIP CLEANER FOR HAND CUTTING TIPS

MODEL SHOWN:
C-9



26 SL

MODEL

LIGHTER WITH FLINT

MODEL SHOWN:
26-SL



D-1013

MODEL

CYLINDER KEY

MODEL SHOWN:
D-1013



HOSES

MODEL

HOSES

MODEL SHOWN:
4300533

- ▶ 15m X 1/4" twin red/green
- ▶ 30m X 1/4" twin red/green
- ▶ 100m X 1/4" twin red/green

